L Number	Hits	Search Text	DB	Time stamp
2	60	(message) with (secur\$3 encrypt\$4) with (request\$3	USPAT;	2004/07/07 10:12
		authoriz\$3) and 455/410,411,550.1.ccls.	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT; IBM_TDB	
2	2	("5077791").PN.	USPAT;	2004/07/07 10:12
3	2	(30/7/31).FN.	US-PGPUB;	200 1/07/07 10:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/07 10:12
4	8	("3781472" "3886313" "4013837" "4020285" "4079188" "4091423" "4167700" "4368357").PN.	USPAT	2004/07/07 10:12
5	7	5077791.URPN.	USPAT	2004/07/07 10:15
$\begin{vmatrix} 3 \\ 6 \end{vmatrix}$	10	(transition change) with (secur\$3) with during adj call	USPAT;	2004/07/07 12:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3	(nonsecure non?secure) with (secur\$3) with during adj call	IBM_TDB USPAT;	2004/07/07 11:50
7.	3	(nonsecure nonesecure) with (securps) with during adj can	US-PGPUB;	2004/07/07 11.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2024/07/07 44 50
9	9	("6002919" "6097966" "6131033" "6181710" "6185412"	USPAT	2004/07/07 11:59
10	0	"6301475" "6332579" "6353748" "6463534").PN. 6704567.URPN.	USPAT	2004/07/07 12:03
18	6	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:43
	Ţ	and 455/410,411.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	7	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	IBM_TDB USPAT;	2004/07/07 12:43
19	/	and 455/\$.ccls.	US-PGPUB;	2001,07,07 12:10
		and	EPO; JPO;	
			DERWENT;	
		(//www.sitiand2.shand2.govitabd2) with (nangagurd2	IBM_TDB USPAT;	2004/07/07 12:43
20	1	((transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure) and 455/\$.ccls.) not ((transition\$3 chang\$3	US-PGPUB;	2004/07/07 12.43
		switch\$3) with (nonsecur\$3 non?secure) and	EPO; JPO;	
		455/410,411.ccls.)	DERWENT;	
			IBM_TDB	2004/07/07 12 15
21	34	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT; US-PGPUB;	2004/07/07 12:45
		with (mode operation)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/07 12 17
22	92	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT; US-PGPUB;	2004/07/07 12:45
		with (secur\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	98	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:45
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	842	(455/550.1).CCLS.	USPAT;	2004/07/05 21:45
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	

	 _		LICOAT	2004/07/01 11:40
-	590	(455/410).CCLS.	USPAT; US-PGPUB;	2004/07/01 11:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	967	(455/411).CCLS.	USPAT;	2004/07/01 11:49
-	50,	(433) 411).0063.	US-PGPUB;	
			EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
<u>-</u>	24	((455/550.1).CCLS.) and (((455/410).CCLS.)	USPAT;	2004/07/01 12:33
	[((455/411).CCLS.))	US-PGPUB;	
		((100) 122).00301))	EPO; JPO;	
ĺ		•	DERWENT;	
			IBM_TDB	
_	79	((transition change) with (secur\$3)) and (((455/550.1).CCLS.)	USPAT;	2004/07/01 12:34
		((455/410).CCLS.) ((455/411).CCLS.))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		, ·	IBM_TDB	
_	314	((transition change) with (secur\$3)) and (455/\$.ccls.)	USPAT;	2004/07/01 12:34
	1		US-PGPUB;	
		·	EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	22	((transition change) with (secur\$3) with (button key press	USPAT;	2004/07/01 12:42
		push)) and 455/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1) 11 (1	IBM_TDB	2004/07/01 12:44
-	140	((transition enter) with (secur\$3 encrypt\$4) with (mode	USPAT; US-PGPUB;	2004/07/01 12.44
		operation)) and (wireless portable cellular mobile) near3	EPO; JPO;	
1		(\$4phone call)	DERWENT;	
			IBM_TDB	
	45	((transition enter) with (secur\$3 encrypt\$4) with (mode	USPAT;	2004/07/01 12:45
-	7.7	operation)) and (455/\$.ccls.)	US-PGPUB;	
		Operation)) and (155) \$.ccis.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29	(transition change) with (secur\$3) with hold with (button key	USPAT;	2004/07/01 14:31
		press push)	US-PGPUB;	
		, , ,	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	3782	hold with (button key) with (time second)	USPAT;	2004/07/01 14:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		10 10 10 10 10 10 10 10 10 10 10 10 10 1	IBM_TDB	2004/07/01 14:22
-	28	(hold with (button key) with (time second)) and (379/\$.ccls.	USPAT;	2004/07/01 14:32
		and 455/\$.ccls.)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	252	holding with (button key) with (time second) and (379/\$	USPAT;	2004/07/01 14:45
-	253	455/\$).ccls.	US-PGPUB;	200 ., 0, , 02 2 11 10
		100/φ/ισσοί	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L			120.1_100	

-	110	holding with (button key) with (time second) with (secur\$4 encrypt\$4 mode operat\$4) and (379/\$ 455/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 14:50
	33	holding with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (379/\$ 455/\$).ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 15:00
-	163	(pressing pushing) with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (379/\$ 455/\$).ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 15:01
-	3	(pressing pushing) with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (((455/410).CCLS.) ((455/411).CCLS.))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 15:03
-	95	(pressing pushing) with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (455/\$).ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 15:03
-	680	secure with (non?secure nonsecure normal regular) with (mode state)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/05 21:46
-	48	(secure with (non?secure nonsecure normal regular) with (mode state)) and 455/\$.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/05 21:46
	9	(secure with (non?secure nonsecure normal regular) with (mode state)) and (((455/550.1).CCLS.)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/06 11:04
-	33 7	((455/411).CCLS.)) 4555805.URPN. 6151677.URPN. ("4405829" "4795898" "4816653" "4882474" "4961142"	IBM_TDB USPAT USPAT USPAT	2004/07/05 21:52 2004/07/06 10:06 2004/07/06 10:10
-	33	(4403829 4793696 4610033 4882474 4961142 "4965881" "5015834" "5077791" "5120939" "5159634" "5406619" "5410599" "5432939" "5444764" "5475756" "5497411" "5508691" "5513261" "5524134" "5569903" "5584043" "5602918" "5619683" "5623637" "5633920" "5664017" "5673317" "5682027" "5682475" "5698837" "5717927" "5787180" "5887250").PN.	031 A1	200 1/07/00 10:10
-	7 479	6151677.URPN. (secure with (non?secure nonsecure normal regular) with (call connection link))	USPAT USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:03 2004/07/06 11:04
-	18	(secure with (non?secure nonsecure normal regular) with (call connection link)) and 455/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:32
-	119	(secure with (non?secure nonsecure normal regular) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3))	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:34
-	137	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3))	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:34
-	7	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3) with (button switch key press\$3 hold\$3)) and 455/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:59

-	67	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3	USPAT; US-PGPUB;	2004/07/06 14:20
-	21	mak\$3) with (button switch key press\$3 hold\$3)) (secure with (non?secure nonsecure normal regular clear) with	IBM_TDB EPO; JPO; DERWENT	2004/07/06 15:27
		(call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3) with (button switch key press\$3 hold\$3))		
- ,	23	(send talk) adj2 (key button) with secur\$3	EPO; JPO; DERWENT	2004/07/06 18:40
-	23	(send talk) adj2 (key button) with secur\$3	EPO; JPO; DERWENT	2004/07/06 18:41
-	213	(send talk) adj2 (key button) with secur\$3	USPAT; US-PGPUB;	2004/07/06 18:41
:			EPO; JPO; DERWENT; IBM_TDB	
-	3	(send talk) adj2 (key button) with secur\$3 and (455/550.1,410,411).ccls.	USPAT; US-PGPUB;	2004/07/06 18:42
		(433)330.1,410, (11).003.	EPO; JPO; DERWENT;	
-	8	(send talk) adj2 (key button) with secur\$3 and (455/\$).ccls.	IBM_TDB USPAT; US-PGPUB;	2004/07/06 18:44
			EPO; JPO; DERWENT; IBM_TDB	
-	. 585	(disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 19:08
			DERWENT; IBM_TDB	
-	11	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/410,411.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 18:52
-			DERWENT; IBM_TDB	
-	1	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/550.1.ccls.	USPAT; US-PGPUB;	2004/07/06 18:53
		,	EPO; JPO; DERWENT; IBM_TDB	
-	0	20010016486.URPN.	USPAT USPAT;	2004/07/06 18:53 2004/07/07 09:29
-	27	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/\$.ccls.	US-PGPUB; EPO; JPO;	2004/07/07 03:23
			DERWENT; IBM_TDB	
-	12	(disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2) with ("7" seven)	USPAT; US-PGPUB; EPO; JPO;	2004/07/06 19:08
			DERWENT; IBM_TDB	
-	6	("4908848" "4924499" "5062134" "5438612" "5862470" "5995823").PN.	USPAT	2004/07/06 20:10
-	0	6442406.URPN.	USPAT	2004/07/06 20:14